

JAVELIN SHADE WITH SHADE REACH MOUNT

NEW

JAVELIN SHADE

- 8 foot diameter
- Fire retardant
- All-weather protection (sun, wind, rain)
- Built for strength and durability
- *Fits in SHDRCH (sold separately)

UMBSHD



SHADEREACH

- Fits the Javelin Shade
- 360 degree multi-directional articulation
- Folds for compact storage
- Slides into standard 2" hitch receiver tube
- Ideal for:
 - Welding rigs and fabrication setups
 - Service trucks and mobile workstations
 - Construction and field maintenance

SHDRCH



GROUNDHOG ROLLING PIPESTANDS

NEW

GROUNDHOG PIPE STAND

- Five-leg low centre of gravity base for superior stability
- Maximum working Load 6000 LB (2,722 kg)
- Heavy-duty swivel casters and locking brakes
- Includes a V8 head
- Positive load locking pin



LPS-GH

POWERHOUSE GROUNDHOG

- Five-leg low centre of gravity base for superior stability
- Maximum working Load 9000 LB (4,082 kg)
- Heavy-duty swivel casters and locking brakes
- Clip in tow bar allows lateral force to be applied low, improving stability during movement
- Height range including V-Head 36"-59" (914-1499mm)
- Positive load locking pin



PH-GH

SPINNERS/ROLL OUT WHEELS

PORTABLE 6,"8".& NEW 10" CHUCK SPINNER (WITH OR WITHOUT FINE ADJUSTMENT)

- 6" PCS6 & PCS6-ADJ will handle 1/4" to 8" pipe
- 8" PCS-8 & PCS8-ADJ will handle 1/4" to 10" pipe
- 10" PCS-10 & PCS10-ADJ will handle 1/4" to 12" pipe
- 5 position tilt
- The ADJ series has a fine tune adjustment feature allowing you to perfectly level the spool right in the chuck
- Equipped with a brake to secure positions
- Dual bearing spindle ensures a positive ground (prevents arcing)
- Dual bearing spindle also facilitates the easy rolling of heavy spools



PCS-6, PCS-8, PCS-10



PCS-6ADJ, PCS-8ADJ, PCSADJ-10



Fine Adjustment

PORTABLE FABRICATION STATION (WITH OR WITHOUT FINE ADJUSTMENT)

- More than just a spinner
- Serves as an excellent portable fabrication table on the job site
- Features an 18-inch table
- Offers a 5-position tilt adjustment
- The ADJ model includes a fine-tune adjustment feature
- Equipped with a brake to secure roll positions
- Dual bearing spindle ensures a positive ground (prevents arcing)
- Dual bearing spindle also facilitates the easy rolling of heavy spools
- Most stable when paired with the Javelin LPS pipe stand or STM (Spinner Table Mount)
- Accommodates flanges up to 10 inches that can be bolted to the plate



Products available exclusively through authorized distributors

SPINNER ACCESSORIES

LARGER 18" WHEEL FOR JAVELIN PCS SPINNERS

- Larger wheel for Javelin Portable Chuck Spinners (Standard size is 14")
- Compatible with all Javelin PCS-6, PCS-8, PCS-10, and ADJ models
- Nickel plated for added durability
- Constructed from pipe for a comfortable and secure grip
- Ideal solution for welding heavy fittings

original

18" wheel

NEW

PCS-B18

SPINNER TABLE MOUNT

- The STM (Spinner Table Mount) with a locking mechanism can be securely bolted to your work table or welding rig.
- Simply slide your PCS (Portable Chuck Spinner) or PFS (Portable Fabrication Station) into the STM and tighten it using the T-bolt lock.
- The inside dimension of the STM is 1.38 inches.



STM

QUICK GRIP ATTACHMENT

- Use the (QGA) Quick Grip Attachment to clamp a pipe to your Spinner Plate or (PFS)
- Portable Fab Station
- Slide the QGA out or in to fit desired pipe size



QGA

3 JAW SELF-CENTERING CHUCKS 6", 8" & 10"

- CH-6
- CH-8
- CH-10



BIG ROLLERS

40.5"



**PR36SVL 36 INCH SWIVELING
PIPE ROLLER**

PR36SVL

- Best for 2 to 36 inch pipe
- Self levels to hug the pipe reducing friction and pipe crawl
- Working load 8000 LB (3629kg)
- Takes less space than other 36" rollers and easy to handle
- Weight: 84 LB (38kg)
- 40.5" wide (1030mm)

PIPE ROLLER 2" – 36" ADJUSTABLE WITH 2 STEEL 6" WHEELS

- Working Load 6000 LB (2721 KG)
- Best for 2" to 36" diameter pipe (51 – 914 mm)
- Comes with two 6 inch steel wheels.
- Polyurethane wheels may be purchased separately
- Easily adjusts to 4 different wheel settings with wing nuts
- Designed for the Javelin SH236 Sawhorse Stand
- Also designed to fit on 2 Javelin LPS, MPS or SPS

SAWHORSE STAND

- Designed for PR236 (36" pipe roller)
- Working Load 6000 LB
- Height Range 31" – 46" (787–1168 mm)
- Positive load locking pins (must be used at all times)
- Centre adjustment is for easy placement of the load locking pins (only to be used when adjusting without load)



PR236S

SH236C

ROLLING SAWHORSE WITH INDUSTRIAL CASTERS

SH236CAS

- Working load 6000 LB
- **Sawhorse stand outfitted with heavy-duty casters and wide footprint for maximum stability and safety.**
- Engineered for the PR236 pipe roller, yet equally impressive as a mobile platform for handling heavy, movable loads.
- Industrial casters swivel and have brake levers
- PR236 (36" pipe roller) sold separately
- Positive load locking pins (must be used at all times)
- Centre adjustment is for easy placement of the load locking pins (only to be used whe adjusting without load)
- Regular legs and caster legs are interchangeable

PR236



SH236CAS



SH236CAS

Caster legs can also be purchased separately for your regular Javelin sawhorse



SH236CASLEG

ROLLERS

PR12SVL

- Working Load 1400 LB (635 KG)
- Best for 1" to 12" diameter pipe (25 – 304mm)
- Rocker style roller
- Two extra wide 3 inch diameter steel wheels for true tracking and less resistance and smooth roll.
- Easily adjust to 3 different wheel settings
- Very stable pipe roller, reduces chance of pipe crawl



PR112S

- Load Rated 2500 LB (1134 KG)
- Best for 1" to 12" diameter pipe (25 – 304 mm)
- 4 three inch steel or poly wheels
- No need to change wheel settings
- Very stable pipe roller
- Fits Javelin Pipe Stands LPS, MPS, SPS



MPR24

- Load Rated 2600 LB (1179 KG)
- Best for 2" to 24" diameter pipe (51 – 609 mm)
- Two superior quality, hardened stainless steel roller balls to ensure smooth roll in all directions
- Easily adjust to 4 different wheel settings with wing nuts
- Fits Javelin Pipe Stands LPS, MPS, SPS
- Rotate pipe and move laterally with ease



Did you know?

JAVELIN TOOLS ARE TESTED TO 3X WORKING LOAD

ROLLERS

PR220S

- Load Rated 2500 LB (1134 KG)
- Best for 1" to 20" diameter pipe (25 – 508mm)
- Two 4 inch steel or poly wheels)
- Easily adjusts to 4 different wheel settings
- Fits Javelin Pipe Stands LPS, MPS, SPS




PR212S

- Working Load 2500 lbs
- Best for 1"-12" pipe
- Two 3" steel or polyurethane wheels
- Compact and versatile
- Easily adjust to three different wheel settings with wing nuts
- Fits Javelin pipe stands LPS, MPS, SPS



MBPR-240 BEAM MOUNT PIPE ROLLER

- **Improved carry handles to make moving around easier**
- Working Load 2400 LB(1081 KG)
- **Diameter range is 2" – 24"** outside diameter
- Dimensions: Length 27.5" W 16.5"
- Height 6.25"
- Beam clamp flange size range: 6" – 12"
- Flange widths: up to 1" thick
- Roll or move pipe in all directions
- **Ideal for moving pipe into and along a high line rack or module**
- Clamp to any suitable support structure to make pipe fabrication and installation quick and easy




Updated Design

WELDING CABLE REELS

2 WELDING CABLE REELS MOUNTED SIDE BY SIDE

- Two horizontally mounted insulated spools
- Brass contact/brake
- Dual bearings for smooth rolling
- Mounting bracket for quick and easy install
- 400amps


WCR(LR)



2 WELDING CABLE REELS STACKED WITH CORD HANGER

- Two vertically mounted insulated spools
- Remote cord hanger
- Brass contact/brake
- Dual bearings for smooth rolling
- Mounting bracket for quick and easy install
- 400amps


WCR2



SINGLE WELDING CABLE REEL

- Insulated spool
- Brass contact/brake
- Dual bearings for smooth rolling
- Mounting bracket for quick and easy install
- 400amps

WCR1



LIVE ALUMINUM WELDING CABLE REEL

WELDING CABLE REEL LOCKING COVER

- Steel construction with sturdy latch
- **Keep your welding cable safe and prevent theft**
- **Prevent UV and weather damage**
- Fits all Javelin welding cable reels
- To ensure WCRLK can't become detached, always have the lock in place while driving

WCRLK



1 LIVE WELDING CABLE REEL WITH MOUNTING POST

(Bolt in a second reel to create the WCRAL-LR)

- One Live Welding Cable Reel with reinforced mounting bracket
- Live Reels (can be spooled in and out while welding)
- 500 Amp Rating
- Set of two insulated welding cable reels with reinforced mounting bracket
- Each reel holds approximately 130 feet of 2/0 cable

WCRAL1 & WCRAL-LR



SEPARATE LIVE WELDING CABLE REEL MODEL WCRALS

- Live Reels (can be spooled in and out while welding)
- 500 Amp Rating
- Separate insulated Welding Cable Reel (has only mounting bracket but does not include reinforced mounting post)
- Each reel holds approximately 130 feet of 2/0 cable


WCRALS



2 LIVE WELDING CABLE REELS WITH REMOTE/ POWER CORD HANGER

- Set of two insulated welding cable reels with reinforced mounting bracket
- Live Reels (can be spooled in and out while welding)
- 500 Amp Rating
- Remote/Power Cord Hanger Included
- Each reel holds approximately 130 feet of 2/0 cable

WCRA2



LUC6-14



LUC2-6

NEW

PIPE LINEUP CLAMPS

- LUC2-6 PIPE LINEUP CLAMP 2 – 6 inch (50 – 152 mm)
- LUC6-14 PIPE LINEUP CLAMP 6 – 14 inch (150 – 350mm)
- **Achieve precise fit-ups with ease.**
- Engineered for durability to withstand the demands of the job site.
- Stainless steel contact surfaces and alignment screws designed to safeguard your alloy pipe.
- Enhanced gripping power for secure hold paired with smooth clamping motion.
- Adjustable operation handle for enhanced maneuverability in tight spaces

GROUNDING AND GRASSHOPPERS

PIPELINING MAGNETIC GROUND

- Avoid costly grounding arc
- Spring – loaded to keep pressure on the grounding tip creating a solid ground for a stable arc
- Strong magnets and spring allow you to place on the pipe in any position
- Insulated body
- Flips out of the way
- Extra tips (1 copper and 2 steel tips)



Javelin's most popular magnetic ground

PMG-XS2

PIPELINING MAGNETIC GROUND EXTRA LONG

- Avoid costly grounding arc
- Spring – loaded to keep pressure on the grounding tip
- 7.5" longer than the PMG-XS2 and 2" higher
- Insulated body
- Brass bushing to ensure good contact
- Flips out of the way
- Extra tips (1 copper and 2 steel tips)
- The PMGX2 is our most popular Pipeline Magnetic Ground/Grasshopper but some customers prefer the PMG-XL (extra long) because it will clear large pipe line-up clamps



PMG-XL

ROTATING GROUND

- Brass Construction for Positive Grounding
- Easily changes from straight to a 45 or 90 degree
- Loads up to 400 amp
- Stabilizes arc by creating a stable contact
- Improves roof fusion and helps eliminate pinholes
- Well built, high quality rotating ground

⚠Beware of Imitations

We've seen imitation versions of the RG400 welding ground marketed elsewhere. These copies may look similar but lack the build quality or performance of the Javelin Industrial RG400. Great care has been taken to ensure the RG400 will provide consistent strong connectivity throughout your roll weld.

For dependable results and long-term reliability, always choose genuine Javelin products.

RG400

www.JavelinIndustrial.com



EDMONTON, ALBERTA

MAGNETIC GRINDER/UMBRELLA HOLDERS

WELDERS UMBRELLA

- Fire Retardant Heavy Duty Construction
- Fits in the MAUH Magnetic Adjustable Umbrella holder
- Fits in the GRH-U2 grinder holder
- Fits in Javelin Pipe Stands SPS MPS LPS
- Lightweight and strong
- 6 foot diameter

UMB



MAGNETIC ADJUSTABLE UMBRELLA HOLDER

- Clamp on any size or position of pipe or structural
- Holds solid with 14 super strong magnets
- 360 degree pivot
- Create an instant welding flash screen or windscreen anywhere.

MAUH



MAGNETIC GRINDER HOLDER SUITABLE FOR PIPE LINING

- Mount two grinders by magnetically attaching to pipe
- **Improve grinder safety**
- Save wear and tear on tools
- **Save time by keeping tools close at hand**
- Holds solid with 12 super strong magnets

MGH



SWIVELING MAGNETIC GRINDER HOLDER

- Support 3 grinders and your remote
- **Easily adjusts to any position, pivots 360 degrees**
- Keep tools in easy reach by pivoting down on larger pipe or pivot 90° to mount on vertical pipe or structural
- Improve grinder safety

SMGH



Working Load
9000lbs



POWERHOUSE PIPE STANDS

- **Working Load 9000 LB**
- Wide stable Tripod Base
- Positive load locking pin
- Pinch-free easy grip handle protects your hands
- Folding
- PH-LPS Height range including V-Head 36"-59" (914-1499mm)
- PH-MPS Height range including V-Head 30"-49" (775-1257mm)
- PH-SPS Height range with the V-Head 18"-29" (450-740mm)
- *PH heads sold separately

POWERHOUSE ACCESSORIES

PH-PR230 - 30" PIPE ROLLER

- Working load 6000LB
- Always use load locking pin
- Support weight with center of gravity directly above center of stand
- Do not modify this product & inspect regularly
- Ensure PR230 pipe rollers are on a solid, level surface and square to the pipe being rolled
- Must be used only with Javelin POWERHOUSE series pipe stands
- Improper use of pipe stand voids load rating

PH-PR230



LARGE REINFORCED V HEAD FOR UP TO 32" PIPE

- Heavy Duty Reinforced V-Head
- Designed for Javelin POWERHOUSE
- Pipe Stands
- 1.5 inch solid high tensile steel
- threaded rod
- 21 inches wide
- Best for up to 32 inch diameter pipe

PH-HD32V



LARGE REINFORCED V HEAD FOR UP TO 36" PIPE

- Heavy Duty Reinforced V-Head
- Designed for Javelin POWERHOUSE
- Pipe Stands
- 1.5 inch solid high tensile steel
- threaded rod
- 30 inches wide
- Best for up to 36 inch diameter pipe

PH-HD36V



PIPE STANDS

LPS

- Working load **5000 LB** (2268 KG)
- Range 35" – 55" (890 – 1400 mm)
- Reinforced 8" wide V-head With solid high tensile steel threaded rod
- **Wide stable tripod base**
- Positive load locking pin
- Pinch-free easy grip handle protects your hands
- Engineer certified and load rated

LPS



Wide Stable Footprint

MPS

- Working load **5000 LB** (2268 KG)
- Range 29" – 45" (740 – 1143 mm)
- Reinforced 8" wide V-head With solid high tensile steel threaded rod
- **Wide stable tripod base**
- Pinch-free easy grip handle protects your hands
- Positive load locking pin
- Engineer certified and load rated

MPS



SPS

- Working load **4500 LB** (2041 KG)
- Range 16" – 30" (405 – 760 mm)
- Reinforced 4" wide V-head with solid high tensile steel threaded rod
- **Wide stable tripod base**
- Pinch-free easy grip handle protects your hands
- Engineer certified and load rated
- Tested to at least 3 times safety factor

SPS



Did you know?

**JAVELIN TAKES GREAT CARE TO ENSURE ITS
PIPESTANDS FOLD SMOOTHLY**

V-HEADS

LARGE REINFORCED V HEAD FOR UP TO 18" PIPE

- Heavy Duty
- Reinforced V-head with threaded solid high tensile steel rod
- 12.5 inches wide
- Fits Javelin pipe stands LPS MPS SPS
- These V-heads have been load tested to the same standard as the Javelin Pipe Stands

HD18V



8" WIDE REINFORCED V HEAD

- Reinforced 8" wide V-head
- Threaded solid high tensile steel rod
- Fits Javelin pipe stands LPS MPS & SPS
- These V-heads have been load tested to the same standard as the Javelin pipe stands
- Comes standard with LPS and MPS
- suggested for up to 12" pipe

V8



4" WIDE REINFORCED V HEAD

- Reinforced 4" wide V-head
- Threaded solid high tensile steel rod
- Fits Javelin pipe stands LPS MPS SPS
- These V-heads have been load tested to the same standard as the Javelin Pipe Stands
- Comes standard with SPS

V4



Did you know?

www.JavelinIndustrial.com

**JAVELIN TOOLS ARE DESIGNED AND TESTED TO
EXCEED ALBERTA STANDARDS**

EDMONTON, ALBERTA

ACCESSORIES, MIR, AND ELBOW JIGS

COUNTER WEIGHT (5 PIECE SET)

- Easily balance pipes for roll welding
- Attach with your chain grips (not included)
- Includes:


One – 30" threaded bracket

Two – adjusting wing nuts

Two – 8 LB weights

One – 15 LB weight

CW



PIPE STAND EXTENDER

- Height range (64" – 88"), (1610mm – 2230mm)
- Multiple extenders can be used to achieve desired height.
- Positive load locking pin
- Heavy duty
- Fits Javelin Pipe Stand MPS, LPS


PSE



SET OF 5 ELBOW JIGS (2,3,4,6,8 INCH)

- Built in U-bolt to hold elbow in place
- Elbow Jigs make grabbing and leveling an otherwise awkward spool with elbow fast and easy
- Provides **more precise and safer fitting than competing products**
- **Set stores compactly together**
- Fits in Javelin (PCS) Portable Chuck Spinners
- Fits in Javelin (PFS) Portable Fabrication Stations using the (QGA) Quick Grip Attachment

EJSet



MULTI-USE INDUSTRIAL ROLLER

- 12" wide roller
- Level and move heavy pieces into a drill press
- Great for feeding steel into a saw
- Adjust roller guides to allow rolling of wide sheets

MIR



REBUILD KITS AND PARTS



WCR Rebuild Kit

WCRRK



PMG Rebuild Kit

PMGRK

SPS RISER PIPE

SRP



MPS RISER PIPE

MRP



PCS/PFS BEARING ASSEMBLY



LPS RISER PIPE

LRP





**BUILT FOR STRENGTH.
DESIGNED FOR
PRODUCTIVITY.
TRUSTED FOR SAFETY.**

PRODUCTS AVAILABLE THROUGH AUTHORIZED DISTRIBUTORS

**View specs, videos, and
full product details:**



www.JavelinIndustrial.com